



Published on *Haala Industries* (<https://www.haala.com>)

[Home](#) > Lift Cables

Lift Cables

Title:

3825


Product Specific Image:



Part No.
3825

Lift cables are made from extra high strength A475 galvanized material certified to have a minimum breaking strength of 15,400 lbs. Material certifications are included. To maintain a 4:1 safety factor, DO NOT lift over 3,850 lbs per cable.

****Test reports do not depict actual lift capacity and are for reference only. Lift angle and placement of devices are critical to the performance of each device.****



3825 ▼

[Contact us for a Quote](#) [1]

Documents:

 [Test report 3836](#) [2]

 [Test report 3811](#) [3]

Physical weight:

1180 lb

Physical dimensions:

48 × 40 × 25 in

Dealer-only purchase:

No

Shipping method:

[Freight](#) [4]

Description:

Galvanized Lift Cable

Thickness:

3/8

Total Length:

[25](#) [5]

Height:

[7 1/2](#) [6]

Package Qty:

2000

Shipping Weight:

1180

Source URL:<https://www.haala.com/products/lift-cables>

Links

[1] <https://www.haala.com/information-request?list=3825> [2]

<https://www.haala.com/sites/default/files/product-documents/Report%203836.pdf> [3]

<https://www.haala.com/sites/default/files/product-documents/Report%203811.pdf> [4]

<https://www.haala.com/shipping-method/freight> [5] <https://www.haala.com/lift-cables-total-length/25> [6]

<https://www.haala.com/lift-cables-height/75>