



Published on *Haala Industries* (<https://www.haala.com>)

[Home](#) > Washington County Standoff Tie Rod

Washington County Standoff Tie Rod

Title:

WCST5860

Part No.

WCST5860

Standoff style tie rod is a system for tying together concrete pipe where a smooth inside surface is desired.


Designed specifically to compensate for bell end pipe.

Rod and tubes are hot dip galvanized in accordance with the requirements of ASTM F2329.

Each tie rod assembly includes the following fasteners: (2) Hex Nuts, (2) Plate Washers, (2) Tap Bolts and (2) USS Washers hot dip galvanized in accordance with the requirements of ASTM F2329, except tap bolt is zinc plated.

The material is of domestic origin and is melted and manufactured in the USA. Certifications are available upon request.

Tie rods are also known as joint restraints or pipe ties.



WCST5860 ▼

[Contact us for a Quote](#) [1]

Physical weight:

1600 lb

Physical dimensions:

48 × 40 × 45 in

Dealer-only purchase:

No

Shipping method:

[Freight](#) [2]

Material:

[Galvanized Steel](#) [3]

Size:

[5/8" x 6"](#) [4]

Suitable Pipe Size:

[12 to 30](#) [5]

Package Qty:

150

Source URL:<https://www.haala.com/products/washington-county-standoff-tie-rod>

Links

[1] <https://www.haala.com/information-request?list=WCST5860> [2]

<https://www.haala.com/shipping-method/freight> [3]

<https://www.haala.com/washington-county-standoff-culvert-tie-material/galvanized-steel> [4]

<https://www.haala.com/washington-county-standoff-culvert-tie-size/58-x-6> [5]

<https://www.haala.com/washington-county-standoff-culvert-tie-suitable-pipe-size/12-30>