



Published on *Haala Industries* (<https://www.haala.com>)

[Home](#) > Polk County Tie Rod

---

## Polk County Tie Rod

**Title:**

PC3000

**Part No.**


PC3000

Rod and Eyebolts are hot dip galvanized in accordance with the requirements of ASTM F2329.

Each tie rod assembly includes the following fasteners: (4) Hex Nuts and (6) USS Washers, both hot dip galvanized in accordance with the requirements of ASTM F2329.

The material is of domestic origin and is melted and manufactured in the USA. Certifications are available upon request.

Tie rods are also known as joint restraints or pipe ties.



PC3000 ▼

[Contact us for a Quote](#) [1]

**Physical weight:**

2100 lb

**Physical dimensions:**

48 × 40 × 45 in

**Dealer-only purchase:**

No

**Shipping method:**

[Freight](#) [2]

**Material:**

[Galvanized Steel](#) [3]

**Size:**

[5/8" x 4-1/2"](#) [4]

**Horizontal Length:**

[36"](#) [5]

**Leg Length:**

[4-1/2"](#) [6]

**Package Qty:**

300

---

**Source URL:**<https://www.haala.com/products/polk-county-tie-rod>

### **Links**

[1] <https://www.haala.com/information-request?list=PC3000> [2]

<https://www.haala.com/shipping-method/freight> [3]

<https://www.haala.com/polk-county-culvert-tie-material/galvanized-steel> [4]

<https://www.haala.com/polk-county-culvert-tie-size/58-x-4-12> [5]

<https://www.haala.com/polk-county-culvert-tie-horizontal-length/36> [6]

<https://www.haala.com/polk-county-culvert-tie-leg-length/4-12>